

General Product Safety Regulation

Basic information

Manufacturer name:	Plastkon product s.r.o.
Manufacturer address:	Hlavní 147, 790 84 Mikulovice, Czech Republic
Country of Origin:	Czech Republic

Contacts

Tel.:	+420 584 487 169
E-mail:	Andrea.janasova@plastkon.cz

Item Descriptions

Item name:	Twister	Twister	Twister	Twister
Supplier item code:	41106110	41106113	4110611016	4110611088
EAN code:	8595096923859	8595096923910	8595096987875	8595096987882
Color code:	058	059	016	088
Color name:	red	blue	azure	monster pink
Product picture:				

Safety

Symbols on the product:	CE, Age, Dust bin, Material composition
Labelling:	Manufacturer address, Country of Origin
Instructions (directive):	CE, Age
Instruction (accompanying):	Load capacity, Temperature, Dimensions, Product weight, color
Instruction languages:	FR, CZ, DE, EN, UA, TR, SV, SL, SK, RU, RO, PT, PL, NO, NL, LV, LT, IT, HU, FI, ET, DK, BG

Text of the assembly and use instructions	
DE	<p>DE: Das Erzeugnis entspricht den Anforderungen der Norm "EN 71- 1; Spielzeugsicherheit" und ist gefahrlos für die Kinder, wenn es ordnungsgemäß benutzt wird. Achtung: Strangulationsgefahr durch lange Schnur. Nicht geeignet für Kinder unter 3 Jahren. Bei Nichteinhalten der Geschwindigkeit oder der Richtung der Fahrt droht Unfallgefahr. Das Erzeugnis darf nur unter Aufsicht eines Erwachsenen, auf einer ausreichenden Schneeschicht und an Hängen ohne feste Hindernisse verwendet werden. Nehmen Sie Rücksicht auf andere Personen und bewegliche Hindernisse am Hang. Es ist nicht gestattet Sprungschanzen, Eis- und Bobbahnen herunterzufahren und das Erzeugnis mit dem Auto abzuschleppen. Kinder müssen feste Schuhe, Handschuhe und einen Helm an sich haben. Das Erzeugnis ist aus Kunststoff hergestellt und keine spezielle Wartung oder Lagerbedingungen sind nötig. Das Erzeugnis darf nicht benutzt werden, wenn es beschädigt ist. Setzen Sie das Erzeugnis keinen extremen Temperaturen (über 70°C und unter -20°C) aus – diese können zu nachhaltigen Schäden in der Materialstruktur und dadurch zur Beschädigung des Produkts führen. Halten Sie alle Verpackungsmaterialie außer Reichweite der Kinder. Die Hebel des Bobs sind für Bremsen und Steuerung der Fahrtrichtung bestimmt. Anleitung zur Montage der Bremshebel. Die Montage der Bremshebel führen Sie unter Zimmertemperatur von mindestens 24°C Grad durch – die Kunststoff wird weicher und die Montage einfacher. Schritt Nr. 1 Von Hemmungshebeln Sicherungen wie abgebildet abschneiden. Schritt Nr. 2 Legen Sie den Bob auf einem Tisch und schieben Sie den nach Abbildung orientierten Hebel in eine der seitlichen rechteckigen Öffnungen ein. Schritt Nr. 3 Sicherung in die entsprechende Öffnung wie abgebildet einstecken. Die Reihenfolge der Schritte darf nicht geändert werden. Mit dem zweiten Hebel gehen Sie auf gleiche Weise um. Das Set des Tron Bobs besteht aus: 1 St. Bob, 2 St. Bremshebel, 1 St. Schnur, 1 St. im Bob eingebauter Sitz.</p>
EN	<p>EN: The product complies with norm EN 71 – 1; Toy safety and it is safe for children, assuming correct usage. Warning: The presence of a long string. Danger of strangling. Not for children under 3 years. There is a danger of injury when speed or direction mistake occurs. The product should be used on a sufficient layer of snow, on hills and terrains with no obstacles, under adult supervision. Beware of other persons and moving obstacles on the hillside. It is prohibited to ride bridges or ice tracks with the product, or have the product pulled behind a vehicle. The child should wear firm footwear, protective gloves and a helmet. The product is made of plastic and it does not require any specific maintenance or storage conditions. Do not use the product if it is damaged. Do not expose the product to temperatures over 70°C or under -20°C, as these temperatures can cause irreversible damage to the material structure, which can damage the product. Keep the package of the product away from children, danger of suffocation in case of pulling the package over head. The handles of the sledge are determined for slowing down and steering the sledge. Assembly instructions for brake handles for Tron and sledges. Assembly instructions for brake handles .The assembly should be carried out at room temperature, at least 24°C so that the plastic is softer and the assembly is easier. Step No. 1 Cut the safety lock off the brake levers, according to the diagram. Step No. 2 Put the sledge on a table and insert the brake handle into one of the rectangular holes on the sides according to the picture. Step No. 3 Insert the safety lock into the corresponding opening, according to the diagram. Repeat the same procedure with the second brake handle. The sequence of the steps must be in this order. The package contains: 1pc sledge, 2pcs brake handles, 1pc rope, 1pc seat incorporated in the sledge body.</p>

Last version: 2.12.2024	
Name and surname:	Andrea Janásová
Company position:	Product manager
Place and date:	Mikulovice, 2.12.2024
Signature:	 Plastkon product s.r.o. ⓘ Hlavní 147, 790 84 Mikulovice DIČ(VAT): CZ63321289 Tel.: 584 487 130, Fax: 584 429 077 www.plastkon.cz, e-mail: info@plastkon.cz
Company stamp:	